



City of Irving
Public Works Department
Registration for Cross-Connection Testing



333 Valley View Lane
Irving TX 75061
(972) 721-2104
Fax (972) 721-7301

Business Name _____

TCEQ BPAT License Number _____ BPAT Expiration Date _____

Address _____ Business Phone _____

City _____ State _____ Zip _____

Manager of Operations _____ Emergency Number _____

Name of Tester _____ Home Phone _____

Testers Drivers License _____ State _____ DOB ____/____/____

Email Address _____ Fax Number _____

Your Completed Application Must Be Submitted Along With Copies Of:

- Certificate / License if you are a licensed plumber
- Certificate / License if you are a licensed lawn sprinkler contractor
- TCEQ BPAT renewable license with expiration date
- Testing gauge calibration report within the last year
- If you are a licensed fire sprinkler contractor, a current copy of your company's Fire Sprinkler Certificate of Registration
- Signed copy of Tester Practices and Code of Conduct

I, the undersigned, hereby make application to test cross-connection backflow prevention device in the City of Irving, TX, and declare to accept and abide by all pertinent ordinances and regulations in the City of Irving. I understand that falsification of any information submitted in the application shall be cause for termination of the cross-connection certification registration, and that this registration shall be renewed on an annual basis.

Signature of Owner/Tester

Signature of Approving Authority

Date

Date



City of Irving Approved Backflow Prevention Assembly Tester Practices & Code of Conduct



As per City Ordinance 8140, Article 5, the City of Irving Public Works has established a Cross-Connection Control Program for the benefit of its customers. The program is maintained to assure Irving exercises its responsibility to deliver safe drinking water to these customers. This program requires certain customers to install backflow prevention assemblies that need testing on a regular basis when notified by the City of Irving. The City requires anyone wishing to test these backflow prevention assemblies for our water users within our jurisdiction to maintain as a minimum, a Texas Commission On Environmental Quality (TCEQ) Backflow Prevention Assembly Tester (BPAT) license certification. In addition, Irving will require adherence to all Cross-Connection Control Program Rules and Policies, which are included here by reference. In addition to the Cross-Connection Control Program Rules and Policies, Irving will now require all City of Irving-Approved Testers to adhere to the following Tester Practices and Code of Conduct. If a tester is found out of compliance with any Cross-Connection Control Program Rules, Policies or these Tester Practices they may be denied inclusion on the Irving List of Certified Testers and, as a result, any submitted test reports would not be recognized or accepted. The City of Irving's Tester Practices and Code of Conduct are as given below:

1. The City of Irving-Approved Tester shall only record data and sign test forms of assemblies they have tested. A tester shall not falsify any data or results obtained from the field test and reported on the Field Test and Maintenance Form. All data shall be **LEGIBLY** submitted.
2. **ALL** boxes of the Field Test and Maintenance Form **MUST** be filled out. If the space does not apply, enter N/A or a dash. The date the test was performed is **REQUIRED**. If testing a Reduced Pressure Device, both check valve readings **MUST** be recorded. If the Field Test and Maintenance Form is not properly filled out or readable, **it will be returned, and the device will fail**. If replacing a device, the old serial number must be reported, if the old device had one.
3. The City of Irving-Approved Tester shall not make any **UNNECESSARY** repairs and or replacement of parts or assemblies.
4. When backflow prevention assembly repairs are necessary, the City of Irving-Approved Tester shall only utilize original factory repair parts as manufactured for the assembly.
5. The City of Irving-Approved Tester shall not circumvent the installed backflow prevention equipment by removal or alteration of the assembly or any of its components. In extreme cases such as severe freeze damage and when no immediate replacement is available, this **MAY** be allowable if approval by the City of Irving is granted, and will be determined on a case-by-case basis.

6. The City of Irving-Approved Tester shall perform only approved field test procedures on a backflow prevention assembly. When testing an assembly the tester shall assure all components and accessories of the assembly are present for field-testing. Any discrepancies shall be listed in the comments section of the Field Testing and Maintenance Report.
7. The City of Irving-Approved Tester shall submit the appropriate **Passing or Failing** Field Testing and Maintenance Report to the City of Irving within ten (10) calendar days of performing the field test. If a test report is received after this time period, the test will not be accepted and the assembly in question will then be required to be retested, and that test form submitted within ten (10) days of the subsequent field test. The tester shall provide a copy of the completed Field Testing and Maintenance Report to the water user upon completion of the field test procedures.
8. The City of Irving-Approved Tester shall only test backflow prevention assemblies with a properly working test kit. The tester shall only use equipment that is in proper working order and within factory accuracy specifications. This test kit shall be checked for accuracy at least once a year or when in need of calibration. A copy of the annual calibration report and any subsequent reports of each test kit shall be submitted to the City for our records. Field Test and Maintenance Reports submitted using differential pressure gauges that have not been checked for accuracy within one (1) year or are out of factory accuracy specifications, will not be accepted by Irving and will be returned to the tester.
9. The City of Irving-Approved Tester shall confirm **ALL DATA** (make, model, size, serial number, meter number, etc.) on the Field Testing and Maintenance Form is correct for the assembly being tested.
10. The City of Irving-Approved Tester shall observe existing installations of backflow prevention assemblies to assure the assembly is the correct type of protection for the degree of hazard present and properly installed as per the City of Irving installation requirements. If the assembly is not the correct type of protection, or installation requirements are not proper, the tester shall proceed with the field test and note the discrepancy on the Field Test and Maintenance Report.
11. The City of Irving-Approved Tester shall comply with the City of Irving Cross-Connection employees in the exercise of their duties as covered by the rules and practices. The tester shall supply any requested information.
12. The City of Irving-Approved Tester has neither the responsibility nor the authority to represent or enforce City of Irving Cross-Connection Control program. Enforcement lies solely with the City of Irving and its appointed officials.

13. All new installations and or change outs of existing backflow prevention assemblies shall be installed in conformance with City of Irving Codes.
14. The City of Irving-Approved Tester **MAY NOT** withhold submission of the Field Testing and Maintenance Report to the customer until payment is made by the customer to the Tester.
15. All City of Irving-Approved Testers desiring to remain on our List of Approved Testers Shall participate in the Recertification process yearly.

Any City of Irving-Approved Tester failing to comply with City of Irving's Tester Practices & Code of Conduct and all Cross-Connection Control Program Rules and Policies, shall be subjected to loss of recognition of Test Reports and removed from the list of testers within the City of Irving's area of authority. Irving will establish a notice system of non-compliance to Tester Practices & Code of Conduct and Cross-Connection Control Rules and Policies that shall operate as follows:

FIRST OFFENSE – Documented verbal warning by a City of Irving Environmental Compliance Specialist.

SECOND OFFENSE --Written Warning and/or Suspension of testing privileges for up to thirty (30) days within the City of Irving, depending on the frequency and severity of the offense.

THIRD OFFENSE -- Revocation of testing privileges within the City of Irving.

Tester Affidavit: Please complete and return this page to the City of Irving.

I hereby certify that I have thoroughly read and understand the above policy and agree to fully conform to the provisions of the City of Irving Backflow Prevention Assembly Tester Practices and Code of Conduct Policy.

This document will be maintained and archived by the City of Irving. Failure to return this affidavit portion will be construed as a City of Irving-Approved Tester's unwillingness to conform to these provisions. Accordingly, that Tester's name will be removed from our List of Approved Testers.

Signed by _____ Date _____